

## CUBICLE TYPE "COMBY" ON FEET H2020



Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIALS		OPTIONS AND EXTRA'S
Partition wall	: massive, melamine resin sheets(HPL)	- Stainless steel fastenings
Pilasters/end wall	: sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips	- Bench and splash wall for showers
Walls	: States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.	- Bench with central bolting for changing cubicles
Pilasters and End walls	: equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.	- Coat hooks, 2 pieces per cubicle, natural anodised aluminium
Placed on	: aluminium feet	- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps
Hinges and locks	: - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency	- Soap and shampoo plateaus
		- Toilet roll holders
		- Countertops and en sinks
		- rim/safety locks
		- Soap dishes
		- Mirrors
		- Lockers
		- Pictograms
		- Aluminium profiles in RAL colours

## CUBICLE TYPE "COMBY" ON CUBICLE FEET H2240



Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIALS	OPTIONS AND EXTRA'S
<p>Partition wall : massive, melamine resin sheets(HPL)</p> <p>Pilasters/end wall : sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips</p> <p>Walls : States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.</p> <p>Pilasters and End walls : equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.</p> <p>Placed on : aluminium feet</p> <p>Hinges and locks : - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency</p>	<ul style="list-style-type: none"> <li>- Stainless steel fastenings</li> <li>- Bench and splash wall for showers</li> <li>- Bench with central bolting for changing cubicles</li> <li>- Coat hooks, 2 pieces per cubicle, natural anodised aluminium</li> <li>- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps</li> <li>- Soap and shampoo plateaus</li> <li>- Toilet roll holders</li> <li>- Countertops and en sinks</li> <li>- rim/safety locks</li> <li>- Soap dishes</li> <li>- Mirrors</li> <li>- Lockers</li> <li>- Pictograms</li> <li>- Aluminium profiles in RAL colours</li> </ul>

## CUBICLE TYPE "COMBY" FLOOR TO CEILING H3000




Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIALS	OPTIONS AND EXTRA'S
<p>Partition wall : massive, melamine resin sheets(HPL)</p> <p>Pilasters/end wall : sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips</p> <p>Walls : States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.</p> <p>Pilasters and End walls : equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.</p> <p>Placed on : floor connection</p> <p>Hinges and locks : - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency</p>	<ul style="list-style-type: none"> <li>- Stainless steel fastenings</li> <li>- Bench and splash wall for showers</li> <li>- Bench with central bolting for changing cubicles</li> <li>- Coat hooks, 2 pieces per cubicle, natural anodised aluminium</li> <li>- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps</li> <li>- Soap and shampoo plateaus</li> <li>- Toilet roll holders</li> <li>- Countertops and en sinks</li> <li>- rim/safety locks</li> <li>- Soap dishes</li> <li>- Mirrors</li> <li>- Lockers</li> <li>- Pictograms</li> <li>- Aluminium profiles in RAL colours</li> </ul>



## CUBICLE TYPE "COMBY" NO PROFILES FLOOR TO CEILING H3000



Front view



Detail top view




Detail floor connection



Detail wall connection

USE OF MATERIAL		OPTIONS AND EXTRA'S
Partition wall	: massive, melamine resin sheets(HPL)	- Stainless steel fastenings
Pilasters/end wall	: sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips	- Bench and splash wall for showers
Walls	: States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.	- Bench with central bolting for changing cubicles
Pilasters and End walls	: equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.	- Coat hooks, 2 pieces per cubicle, natural anodised aluminium
Hinges and locks	: - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency	- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps
		- Soap and shampoo plateaus
		- Toilet roll holders
		- Countertops and en sinks
		- rim/safety locks
		- Soap dishes
		- Mirrors
		- Lockers
		- Pictograms
		- Aluminium profiles in RAL colours

## CUBICLE TYPE "COMBY" FREE SUSPENDED H2150




Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIAL	OPTIONS AND EXTRA'S
<p>Partition wall : massive, melamine resin sheets(HPL)</p> <p>Pilasters/end wall : sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips</p> <p>Walls : States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.</p> <p>Pilasters and End walls : equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.</p> <p>Hinges and locks : - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency</p>	<ul style="list-style-type: none"> <li>- Stainless steel fastenings</li> <li>- Bench and splash wall for showers</li> <li>- Bench with central bolting for changing cubicles</li> <li>- Coat hooks, 2 pieces per cubicle, natural anodised aluminium</li> <li>- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps</li> <li>- Soap and shampoo plateaus</li> <li>- Toilet roll holders</li> <li>- Countertops and en sinks</li> <li>- rim/safety locks</li> <li>- Soap dishes</li> <li>- Mirrors</li> <li>- Lockers</li> <li>- Pictograms</li> <li>- Aluminium profiles in RAL colours</li> </ul>

## CUBICLE TYPE "COMBY" FREE SUSPENDED H2370




Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIAL		OPTIONS AND EXTRA'S
Partition wall	: massive, melamine resin sheets(HPL)	- Stainless steel fastenings
Pilasters/end wall	: sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips	- Bench and splash wall for showers
Walls	: States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.	- Bench with central bolting for changing cubicles
Pilasters and End walls	: equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.	- Coat hooks, 2 pieces per cubicle, natural anodised aluminium
Hinges and locks	: - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency	- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps - Soap and shampoo plateaus - Toilet roll holders - Countertops and en sinks - rim/safety locks - Soap dishes - Mirrors - Lockers - Pictograms - Aluminium profiles in RAL colours




## CUBICLE TYPE "COMBY" FREE SUSPENDED NO PROFILES H2150



Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIAL	OPTIONS AND EXTRA'S
<p>Partition wall : massive, melamine resin sheets(HPL)</p> <p>Pilasters/end wall : sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips</p> <p>Walls : States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.</p> <p>Pilasters and End walls : equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.</p> <p>Hinges and locks : - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency</p>	<ul style="list-style-type: none"> <li>- Stainless steel fastenings</li> <li>- Bench and splash wall for showers</li> <li>- Bench with central bolting for changing cubicles</li> <li>- Coat hooks, 2 pieces per cubicle, natural anodised aluminium</li> <li>- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps</li> <li>- Soap and shampoo plateaus</li> <li>- Toilet roll holders</li> <li>- Countertops and en sinks</li> <li>- rim/safety locks</li> <li>- Soap dishes</li> <li>- Mirrors</li> <li>- Lockers</li> <li>- Pictograms</li> <li>- Aluminium profiles in RAL colours</li> </ul>


## CUBICLE TYPE "COMBY" FREE SUSPENDED NO PROFILES H2370



Front view



Detail top view



Detail floor connection



Detail wall connection

USE OF MATERIAL		OPTIONS AND EXTRA'S
Partition wall	: massive, melamine resin sheets(HPL)	- Stainless steel fastenings
Pilasters/end wall	: sandwich element, 2 pieces of HPL sheets 2,5 mm thick with in between a waterproof/rot free honeycomb filling and HPL edging strips	- Bench and splash wall for showers
Walls	: States and on architectural walls confirms using rounded 20µm blank anodised aluminium profiles.	- Bench with central bolting for changing cubicles
Pilasters and End walls	: equipped with rounded 20µm blank anodised aluminum and door stop sections with EPDM profile for soundproofing.	- Coat hooks, 2 pieces per cubicle, natural anodised aluminium
Hinges and locks	: - stainless steel leading lift-off hinges, POM pin with stainless steel core, opening or closing, including draw out security - Kupan free and occupied interlock with integrated handgrip, natural anodised aluminium, with red-white indication and brass switch pin, to open from the outside in case of emergency	- Partition walls for urinals, 13 mm massive sheet with aluminium anodised wall clamps
		- Soap and shampoo plateaus
		- Toilet roll holders
		- Countertops and en sinks
		- rim/safety locks
		- Soap dishes
		- Mirrors
		- Lockers
		- Pictograms
		- Aluminium profiles in RAL colours